# ARMY RESEARCH LABORATORY



SuperMariah:

A Similarity-based Method for Determining Wind, Temperature, and Humidity Profile Structure in the Surface Boundary Layer

by Henry Rachele
Frank V. Hansen
Arnold Tunick
Battlefield Environment Directorate

Lisa Manguso New Mexico State University

ARL-TR-264

June 1994



CHAILTY DASPECTAD I

Approved for public release; distribution is unlimited.

94 8 01 012

#### MOTICES

#### Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorised documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

#### Destruction Motice

When this document is no longer needed, destroy it by any meta that will prevent disclosure of its contents or reconstruction the document.

## REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden. to Warden. to Warden to Warden

1. AGENCY USE ONLY (Leave black	nk)	2. REPORT DATE	3. REPORT	TYPE AND DATE	S COVERED
		June 1994		Pin	1
4. TITLE AND SUBTITLE SuperMariah: A Similarity-based Temperature, and Humidity Profit Boundary Layer 6. AUTHOR(S) Henry Rachele, Frank V. Hansen Lisa Manguso (New Mexico State	le Str	Arnold Tunick (ARL)		S. FUI	NDING NUMBERS
7. PERFORMING ORGANIZATION N	AME(	S) AND ADDRESS(ES)			FORMING ORGANIZATION
U.S. Army Research Laboratory Battlefield Environment Directors Attn: AMSRL-BE-W White Sands Missile Range, New	te				-TR-264
9. SPONSORING/MONITORING AG	ENCY	NAME(S) AND ADDRESS(ES	)		ONSORING/MONITORING ENCY REPORT NUMBER
U.S. Army Research Laboratory 2800 Powder Mill Road Adelphi, MD 20783-1145					-TR-264
11. SUPPLEMENTARY NOTES					
12a. DISTRIBUTION / AVAILABILITY				126. D	ISTRIBUTION CODE
Approved for public release; distr	_	1 18 Uniumstoo.		^	
13. ABSTRACT (Maximum 200 word	<b>姑)</b>				
SuperMariah is a new methodology using data from tower-borne senso of the Mariah approach (the prede reviews the complete set of model more traditional O'KEYPS formulated the complete se	cessor ecessor equat	is conceptually based on the I r of SuperMariah) and then pr tions and presents several exa-	ynamic Similar secut the exten	rity of Flows Theor sion of Mariah resu	y. We discuss the origin and logic ting in SuperMariah. This report the Mariah, SuperMariah, and the
14. SUBJECT TERMS micrometerology, Obukhov simila	urity, 1	surface boundary layer,			15. NUMBER OF PAGES 35
O'KEYPS function, temperature,	specif	ic humidity, wind speed			16. PRICE CODE
OF REPORT	(	SECURITY CLASSIFICATION OF THIS PAGE	OF ABST	Y CLASSIFICATION TRACT Lassified	20. LIMITATION OF ABSTRACT
Unclassified		Unclassified	Unci	MJ6U 169	SAR

## **Contents**

1.	. Introduction	• • • • • • • • • • • • • • • • • • • •	3
2.	. Mariah		5
3.	. SuperMariah		9
4.	. The SuperStar Option		3
5.	. Discussion		7
6.	. Conclusions		5
Re	References	,	7
		Conditions	
D:			
1/1			J
	Figu	ires	
	SuperMariah calculated profiles compare 9 July 1992 1000 CST unstable flow. (a (b) Wind speed where u* = .544, (c) Sp	ed to data from REBAL '92:  a) Temperature where $\theta^* =4856$ , ecific humidity	1
	SuperMariah calculated profiles compare 9 July 1992 1000 CST unstable flow. (a (b) Wind speed where u° = .544, (c) Sp where q° = -5.335 * 10e-5 SuperMariah calculated profiles compare 15 July 1992 2245 CST stable flow. (a)	and to data from REBAL '92:  a) Temperature where $\theta^* =4856$ , ecific humidity  and to data from REBAL '92:  Temperature where $\theta^* = .0742$ ,	1
	SuperMariah calculated profiles compare 9 July 1992 1000 CST unstable flow. (a (b) Wind speed where u* = .544, (c) Sp where q* = -5.335 * 10e-5	and to data from REBAL '92:  a) Temperature where $\theta^{\bullet} =4856$ ,  b) Temperature where $\theta^{\bullet} =4856$ ,  c) to data from REBAL '92:  Temperature where $\theta^{\bullet} = .0742$ ,  c) to data from REBAL '92:	
	SuperMariah calculated profiles compare 9 July 1992 1000 CST unstable flow. (a (b) Wind speed where u* = .544, (c) Sp where q* = -5.335 * 10e-5	and to data from REBAL '92:  a) Temperature where $\theta^{\bullet} =4856$ ,  b) Temperature where $\theta^{\bullet} =4856$ ,  c) to data from REBAL '92:  Temperature where $\theta^{\bullet} = .0742$ ,  c) to data from REBAL '92:	
	SuperMariah calculated profiles compare 9 July 1992 1000 CST unstable flow. (a (b) Wind speed where u* = .544, (c) Sp where q* = -5.335 * 10e-5	and to data from REBAL '92:  a) Temperature where $\theta^{\bullet} =4856$ ,  b) Temperature where $\theta^{\bullet} =4856$ ,  c) to data from REBAL '92:  Temperature where $\theta^{\bullet} = .0742$ ,  c) Ecific humidty  12	
	SuperMariah calculated profiles compare 9 July 1992 1000 CST unstable flow. (a (b) Wind speed where u* = .544, (c) Sp where q* = -5.335 * 10e-5	ad to data from REBAL '92:  a) Temperature where $\theta^* =4856$ , ecific humidity  ad to data from REBAL '92:  Temperature where $\theta^* = .0742$ , ecific humidity  12  13  14  15  16  17  17  17  18  17  18  18  19  19  19  19  19  19  19  19	

3.	Comparison of SuperMariah and SuperStar profiles, Nebraska 7 August 1956 1205 CST (Lettau, 1957). (a) Potential temperature where: SuperMariah θ* =3989, Superstar θ* =4024, (b) Wind speed where: SuperMariah u* = .4741, SuperStar u* = .4578, (c) Specific humidity where: SuperMariah q* = -1.185e-5, SuperStar q* = -1.117e-5	16
	Tables	
	Comparison of SuperMariah, Mariah, and O'KEYPS schemes using REBAL data for 9 July 1992 1000 CST unstable flow	19
2.	Comparison of SuperMariah, Mariah, and O'KEYPS schemes using REBAL data for 9 July 1992 2245 CST stable flow	22

## 1. Introduction

Obukhov [1] determined that the surface boundary layer could be characterized by a unique scaling length, L, which would represent the surface layer's depth. Monin and Obukhov [2] generalized the Dynamic Similarity of Flows Theory with the introduction of the concept of the scaling ratio, z/L, and the log-linear wind and temperature profiles for a stable atmosphere. Panofsky et al. [3] partially extended the similarity approach to the unstable regime. However, Panofsky [4] provided the insight that led to the present day linear-quartic vertical shapes of the wind, temperature, and specific humidity profiles in the surface boundary layer.

The linear-quartic approach was dubbed the KEYPS' function using the initials of the participating inventors. Yaglom [5] changed this acronym to O'KEYPS, adding Obukhov's efforts of 1946 to the original five papers.

Obukhov did not originally consider the effects of water vapor on atmospheric stability or upon the structure of atmospheric turbulence. This omission was rectified by Busch. [6] Paulson [7] suggested a simple workable solution for establishing the diabatic influence functions but Nickerson, Smiley, [8] and Benoit [9] finalized this approach.

Rachele et al. [10] developed what is known as the Mariah equations whereby the Obukhov [1] length could be established from the measured gradients. This simplification eliminated the laborious, iterative process of calculating the diabatic influence functions to solve the wind, temperature, and specific humidity profile equations to obtain the scaling constants  $u^{\bullet}$ ,  $\theta^{\bullet}$ , and  $q^{\bullet}$  that are necessary components of the surface energy balance equations. The widely used approach is to choose trial values of the parameters, then cycle through an iterative process until the solution converges. The intent of this report is to further extend the Mariah model to what is referred to as the SuperMariah approach.

<sup>\*</sup>Kazanski and Monin (1956), Ellison (1957), Yamamoto (1959), Panofsky (1963), and Sellers (1962).

## 2. Mariah

The Mariah approach was based upon the premise that the similarity scaling constants for unstable flow can be written as

$$u^* = \frac{k \Delta v}{\phi_m \Delta \ln z} \tag{1}$$

$$\theta^* = \frac{k \Delta \theta}{\phi_k \Delta \ln z} \tag{2}$$

$$q^* = \frac{k \Delta q}{\phi_k \Delta \ln z} \tag{3}$$

where

u\* = friction velocity

k = Karman's constant

v = horizontal wind speed

z = height above surface

 $\theta^{\bullet}$  = scaling temperature

 $\theta$  = mean potential temperature

q = scaling humidity q = specific humidity

 $\phi_n$  = dimensionless wind shear

 $\phi_h$  = dimensionless lapse rate.

 $\phi_m$  and  $\phi_h$  are functionally defined later.  $\phi_h$  appears in both equations (2) and (3) since the similarity theory assumes that heat and mass transfer are identical.

When evaluating the above similarity constants we [11] found, using the mean value theorem of calculus test, that the gradients for each layer are tangent to the indicated profile at the height

$$z^* = \frac{\Delta z}{\Delta \ln z} \tag{4}$$

instead of the geometric height which is generally assumed.

The scaling length L is given by

$$L = \frac{u^{*2} \theta_{vl}}{k g \theta_{v}^{*}} \tag{5}$$

where

 $\theta_{v1}$  = virtual potential temperature at reference height

$$\theta_{vl} = \theta_1 (1.0 + 0.61 q)$$
 (6a)

g = acceleration of gravity

 $\theta_{v}^{\bullet}$  = virtual scaling constant defined as.

$$\theta_{\nu}^* = \theta^* + 0.61 \ \theta_1 \ q^*. \tag{6b}$$

Substitution of equations (1), (2), (3), (6a), and (6b) into equation (5) yields

$$L = \frac{\theta_{\nu l} \, \phi_h \, (\Delta \, \nu)^2}{g \, \phi_m^2 \, (\Delta \, \theta \, + \, 0.61 \, \theta_1 \, \Delta \, q) \, \Delta \ln z} \tag{7}$$

as the expression for L. For unstable (z/L < 0) conditions,

$$\phi_{m} = \left(1 - 15 \frac{z^{*}}{L}\right)^{-1/4} \quad and \qquad \phi_{k} = \left(1 - 15 \frac{z^{*}}{L}\right)^{-1/2}$$
 (8a,b)

and for stable (z/L > 0) conditions,

$$\phi_m = \phi_k = 1 + \beta \frac{z^*}{L} . \tag{8c}$$

Since in the unstable regime  $\phi_h = \phi_m^2$ , equation (7) simplifies to

$$L = \frac{\theta_{vl} (\Delta v)^2}{g (\Delta \theta + 0.61 \theta_1 \Delta q) \Delta \ln z} . \tag{9}$$

In stable flow conditions where  $\phi_h = \phi_m = (1 + \beta z/L)$ , equation (7) becomes

$$L = \frac{\theta_{\nu l} (\Delta \nu)^2}{g \phi_m (\Delta \theta + 0.61 \theta_1 \Delta q) \Delta \ln z} . \tag{10}$$

Equation (10), after some additional manipulation (see appendix A), becomes

$$L = \frac{B^2}{60\,z^* + 2\,B} \tag{11}$$

where

$$B = \frac{2 \theta_{\nu I} (\Delta \nu)^2}{g (\Delta \theta + 0.61 \theta_1 \Delta q) \Delta \ln z} . \tag{12}$$

Although simple and efficient, the Mariah parameters must be smoothed and averaged with height in order to invoke forced stationarity upon the vertical profiles in agreement with the tenets of similarity. This vertical smoothing and averaging is discussed in the next section.

# 3. SuperMariah

SuperMariah is an extension of Mariah. First, we determine if atmospheric conditions are stable, unstable, or neutral depending on whether the potential temperature with height is adiabatic, superadiabatic, or subadiabatic. After determining the stability condition, we then use the Mariah equation for computing L using equation (9) for the unstable case or equation (13) for stable conditions. Having L, we can compute  $u^*$ ,  $\theta^*$ , and  $q^*$  for different combinations of measured values of wind, temperature, and specific humidity from all tower or mast levels.

The sets of  $u^*$ ,  $\theta^*$ , and  $q^*$  from all these combinations are then averaged resulting in a single estimate of each similarity constant for the total profile height.

The average values of  $u^*$ ,  $\theta^*$ , and  $q^*$  are inserted into equation (4) to obtain a new value of L. This estimate of L is then used to compute new values of the scaling constants. This process is repeated until all constants converge, usually requiring 3 to 8 iterations based on the following:

- 1. The Obukhov length changes by less than 0.001 m from one iteration to the next. In rare cases, the calculated value of L decreases at each step and may become smaller than the convergence test, whereupon the results are deemed invalid.
- 2. An arbitrary number of steps has been completed with no convergence. In this case, results are also invalid.

Upon successful convergence, the similarity profiles for wind speed, temperature, and specific humidity are calculated from the scaling constants and Obukhov length obtained (figures 1 and 2). In the following equations, a subscript r indicates a value at the reference height while a subscript r indicates the value at height r.

For stable cases

$$v = v_r + \frac{u^*}{k} \gamma \tag{13}$$

$$\theta = \theta_r + \frac{\theta^*}{k} \gamma \tag{14}$$

$$q = q_r + \frac{q^*}{k} \gamma \tag{15}$$

where

$$\gamma = \ln\left(\frac{z_n}{z_r}\right) + 5.0 \frac{z_n - z_r}{L}. \tag{16}$$

For unstable cases

$$v = v_r + \frac{u^*}{k} \left[ \ln \left( \frac{x-1}{x+1} \right) + 2 \tan^{-1}(x) \right]$$
 (17)

$$\theta = \theta_{\nu} + \frac{\theta^*}{k} \ln \left( \frac{y-1}{y+1} \right) \tag{18}$$

$$q = q_r + \frac{q^*}{k} \ln \left( \frac{y-1}{y+1} \right) \tag{19}$$

$$x = \left(1 - 15 \frac{z_n}{L}\right)^{1/4} \tag{20}$$

$$y = \left(1 - 15 \frac{z_n}{L}\right)^{1/2}.$$
 (21)




Figure 1. SuperMariah calculated profiles compared to data from REBAL '92: 9 July 1992 1000 CST unstable flow. (a) Temperature where  $\theta^* = -.4856$ , (b) Wind speed where  $u^* = .544$ , (c) Specific humidity where  $q^* = -5.335 * 10e-5$ .




Figure 2. SuperMariah calculated profiles compared to data from REBAL' 92: 15 July 1992 2245 CST stable flow. (a) Temperature where  $\theta^* = .0742$ , (b) Wind speed where  $u^* = .184$ , (c) Specific humidty where  $q^* = 1.474 * 10e-5$ .

# 4. The SuperStar Option

Experience has shown that the vertical profile of wind, potential temperature, and specific humidity obtained by the SuperMariah procedure may be rotated slightly to the left or the right of the measured data points. These profiles can be adjusted using equations tailored from a paper by Rachele and Tunick. [12] The approach requires that adjustment increments  $\Delta v$ ,  $\Delta \theta$ , and  $\Delta q$  be estimated, usually by taking the difference between the highest tower level data values (or the tower data level the user has the most confidence in) and the corresponding calculated value at that level,  $z_n$ . These differences are then used in adjustment matrices resulting in modifications to scaling parameters for wind, potential temperature, and specific humidity, i.e.,  $\Delta u^*$ ,  $\Delta \theta^*$ , and  $\Delta q^*$ . The procedure for one case is demonstrated in figure 3.

The correction matrix for stable conditions is

$$\begin{vmatrix} A + \frac{2b_{v}L}{u^{*}} & -\frac{b_{v}L}{\theta_{v}^{*}} & -\frac{.61\theta_{r}b_{v}L}{\theta_{v}^{*}} \\ \frac{2b_{t}L}{u^{*}} & A - \frac{b_{t}L}{\theta_{v}^{*}} & -\frac{.61b_{t}L\theta_{r}}{\theta_{v}^{*}} \\ \frac{2b_{q}L}{u^{*}} & -\frac{b_{q}L}{\theta_{v}^{*}} & A - \frac{.61b_{q}L\theta_{r}}{\theta_{v}^{*}} \end{vmatrix} \begin{vmatrix} \Delta u^{*} \\ \Delta \theta^{*} \\ \Delta q^{*} \end{vmatrix} = \begin{vmatrix} \Delta v \\ \Delta \theta \\ \Delta q \end{vmatrix}$$
(22)

$$A = \frac{1}{k} \left[ \ln \left( \frac{z_n}{z_r} \right) + 5 \left( \frac{z_n - z_r}{L} \right) \right]$$
 (23)

$$b_{\nu} = -5u^* \left( \frac{z_n - z_r}{kL^2} \right) \tag{24}$$

$$b_t = -5\theta^* \left( \frac{z_n - z_r}{kL^2} \right) \tag{25}$$

$$b_q = -5q^* \left( \frac{z_n - z_r}{kL^2} \right). \tag{26}$$

The correction matrix for unstable conditions is

$$\begin{vmatrix} \frac{v_{n} - v_{r}}{u^{*}} & 0.0 & 0.0 & C_{14} \\ 0.0 & \frac{\theta_{n} - \theta_{r}}{\theta^{*}} & 0.0 & C_{24} \\ 0.0 & 0.0 & \frac{q_{n} - q_{r}}{q^{*}} & C_{34} \\ \frac{2L}{u^{*}} & -\frac{L}{\theta_{v}^{*}} & 0.0 & 1.0 \\ \end{vmatrix} du^{*} du^{*} dt^{*} dt^{*} dt^{*} dt^{*}$$

$$\begin{vmatrix} \Delta v \\ dt^{*} \\ dq^{*} \\ dL \end{vmatrix} = \begin{vmatrix} \Delta v \\ \Delta t \\ \Delta q \\ dL \end{vmatrix}$$
(27)

$$C_{14} = \frac{15 \, u^*}{k \, L^2} \left( \frac{z_n}{x_2 \, (x_2^4 - 1)} - \frac{z_r}{x_1 \, (x_1^4 - 1)} \right) \tag{28}$$

$$C_{24} = \frac{15 \,\theta^*}{k L^2} \left( \frac{z_n}{y_2 \, (y_2^2 - 1)} - \frac{z_r}{y_1 \, (y_1^2 - 1)} \right) \tag{29}$$

$$C_{34} = \frac{15 \, q^*}{k L^2} \left( \frac{z_n}{y_2 \, (y_2^2 - 1)} - \frac{z_r}{y_1 \, (y_1^2 - 1)} \right) \tag{30}$$

$$x_1 = \left(1 - \frac{15 \, z_r}{L}\right)^{1/4} \tag{31}$$

$$x_2 = \left(1 - \frac{15 z_n}{L}\right)^{1/4} \tag{32}$$

$$y_1 = \left(1 - \frac{15 z_r}{L}\right)^{1/2} \tag{33}$$

$$y_2 = \left(1 - \frac{15 \, z_n}{L}\right)^{1/2}.\tag{34}$$




Figure 3. Comparison of SuperMariah and SuperStar profiles, Nebraska 7 August 1956 1205 CST (Lettau, 1957). (a) Potential temperature where SuperMariah  $\theta^*=-.3989$ , Superstar  $\theta^*=-.4024$ , (b) Wind speed where SuperMariah  $u^*=.4741$ , SuperStar  $u^*=.4578$ , (c) Specific humidity where SuperMariah  $q^*=-1.185e-5$ , SuperStar  $q^*=-1.117e-5$ .

## 5. Discussion

The SuperMariah solution, although iterative, is simpler to execute than the O'KEYPS plus Benoit [9] approach or the trial value iteration scheme using the O'KEYPS model. It also yields superior results, particularly if large amounts of data are being processed. Tunick et al. [13] utilized SuperMariah to process the REBAL '92 data sets (see Tunick et al. [14]) with outstanding results.

The actual algorithm is quite simple and is fast running. A comparative example for unstable flow of Mariah, SuperMariah and the O'KEYPS approach is given in table 1. It must be remembered that the O'KEYPS does not consider the effects of water vapor upon atmospheric stability and is based on the premise that z/L = R in an unstable atmosphere. Thus, the gradient Richardson [15] numbers were first calculated. In order to provide the best estimate for the Monin-Obukhov [2] scaling ratio, the concept of the approximation of the height derivative of R was invoked. Lettau [16] was the first to suggest this approach, which may be written as

$$L^{-1} = \frac{\sum (R_i) z_i}{\sum z_i}; \quad i = 1, 2, 3, ...$$
 (35)

Both the Mariah and O'KEYPS data were subjected to the forced stationarity function of equation (35).

A similar comparison for the stable regime was made and is shown in table 2. For the log-linear O'KEYPS solution, it was assumed that

$$\phi_{-} = 1 + 15 R_{i} \tag{36}$$

$$\frac{z}{L} = R_i \phi_m = R_i (1 + 15 R_i) \tag{37}$$

with

$$L^{-1} = \frac{\sum \frac{z}{L}}{\sum z} \tag{38}$$

all based upon results obtained by Hansen. [17]

The data used to examine the unstable case included the REBAL sample for 1000 CST, 9 July 1992. All the calculated parameters are in agreement with the exception of the specific humidity scaling parameter, q°, that shows up as a variable in the Mariah and O'KEYPS solutions. This departure from the norm (i.e., a constant q° with height) is due to the REBAL experiment being conducted over bare soil. The evaporation rate over bare soil is radically different than what would be found over a vegetated surface. As a consequence, the specific humidity profiles and vertical gradients were not entirely in equilibrium with the surface.

An examination of the nocturnal data of table 2 for 2245 CST, 15 July 1992, indicates nonequilibrium specific humidity profiles and gradients. The specific humidity profile had inverted, a condition necessary for dew fall, but neither the relative humidity nor the gradients were sufficient to cause dew.

Table 1. Comparison of SuperMariah, Mariah, and O'KEYS schemes using REBAL data for 9 July 1992 1000 CST unstable flow

		raw data	1	Supe	SuperMariah data	data		Superly	lariah p	SuperMariah parameters	
12	<b>4</b> >	temp	ъ	>	temp	<b>o</b>	ង	z/L	<b>*</b> =	£	<b>f</b> or
0.5	6.15	27.66	1.181	6.30	27.65	1.19	46.12	0108	<b>4</b> 5.	4856	-5.335
1.0	7.14	26.87	1.176	7.19	26.88	1.18	46.12	0217	45.	4856	-5.335
2.0	8.05	26.20	1.172	8.05	26.18	1.172	46.12	0434	<b>3</b>	4856	-5.335
4.0	8.72	25.62	1.16	8.85	25.55	1.165	46.12	<b>198.</b> -	54	4856	-5.335
8.0	9.43	25.04	1.154	9.58	25.02	1.159	46.12	1735	4	4856	-5.335

beight, z, in m

wind speed, v, in m/s
'temperature in °C
'specific humidity, q, in (g/g) x 10'
'Obukhov length, L, in m

'u' in m/s
'y' in 'C
'q' in (g/g) x 10'

Table 1. Comparison of SuperMariah, Mariah, and O'KEYS schemes using REBAL data for 9 July 1992 1000 CST unstable flow (continued)

	2	ariah par		ameters from raw data	data	1	from	from smoothed data	ad data	
ħ	ឯ	<b>z/</b> L	<sup>2</sup> 3	B	<b>چ</b>	J	z/L	•3	8	•
1.0	-54.31	0184	0.583	-0.471	-2.937	4.6	0284	.0284 0.589 -0.482	-0.482	-3.005
2.0	44.330451	0451	0.519	-0.456	-5.978	4.8	419	0.519	0.456	-5.972
4.0	-42.78	0994	0.536	-0.501	-8.191	4.8	0897	0.528	-0.487	-7.949
average	47.14		0.546	-0.476	-5.709	4.64		0.545	-0.475	-5.642

"beight, z, in m Obukhov length, L, in m

'u in m/s 'b' in 'C q in (g/g) x 10'

Table 1. Comparison of SuperMariah, Mariah, and O'KEYS schemes using REBAL data for 9 July 1992 1000 CST unstable flow (continued)

		O'KEY	S paran	reters fro	S parameters from raw data		from s	mooth	from smoothed data		
°n	ឯ	z/L	<b>°</b> 5	P.O	<b>°</b>	1	$z/\Gamma$	•=	B	<b>*</b> ଫ	
1.0	-55.25	0181	.582	470	-2.932	45.45	0220	.589		-2.998	
2.0	45.05	044	.518	455	-5.959	45.45	0440	.517	454	-5.948	
4.0	-43.76	0914	.530	489	-7.993	45.45	0897	.527	484	-7.904	
average	-48.02		.543	471	-5.628	45.45		<b>25</b>	473	-5.617	
height, z, in m bObukhov length, L, in m 'u' in m/s	ı, L, in m								,		
9 in (g/g) x 10°	2										

Table 2. Comparison of SuperMariah, Mariah, and O'KEYS schemes using REBAL data for 15 July 1992 2245 CST stable flow

		aw data		Super	SuperMariah data	data		Superly	d deire	SuperMariah parameters	
'n	\$	temp°	<b>.</b>	>	temp	<b>o</b> -	ង	z/L	۲,	ξ	<b>*</b> *
0.5	2.19	21.54	1.246	2.04	21.48	1.2240	33.27	.0150	181.	.0742	1.474
1.0	2.49	21.61	1.244	2.40	21.61	1.2429	33.27	.0301	184	.0742	1.474
2.0	2.78	21.74	1.246	2.78	21.74	1.2460	33.27	.060	18	.0742	1.474
4.0	3.25	21.94	1.258	3.24	21.89	1.2496	33.27	.1202	.184	.0742	1.474
8.0	4. 8	22.21	1.258	3.83	22.07	1.2544	33.27	2404	184	.0742	1.474

height, z, in m
wind speed, v, in m/s
cemperature in °C
specific humidity, q, in (g/g) x 10<sup>2</sup>
°Obukhov length, L, in m

'u' in m/s \$\theta' in "C \qquad in (g/g) x 10\text{'}

22

Table 2. Comparison of SuperMariah, Mariah, and O'KEYS schemes using REBAL data for 15 July 1992 2245 CST unstable flow (continued)

z²       L³       z/L       u°       θ³4       q°         1.0       16.96       .0590       .106       .0384       7.1628         2.0       23.74       .0842       .137       .0577       2.2485         4.0       32.36       .1236       .179       .0752       1.7069         average       24.35       .141       .0571       3.7061         b'Obukhov kength, L, in m       c'u in m/s       average       24.35       average		Z	lariah pau	Mariah parameters from raw data	from raw	data	!	from	from smoothed data	ध्रक्त प्र	1
16.96 .0590 .106 .0384 23.74 .0842 .137 .0577 32.36 .1236 .179 .0752 24.35 .141 .0571 L, in m		ឯ	z/L	<sup>2</sup> s		<b>°</b> C-	1	<b>Z/</b> Z	<b>*</b> =	•	••
23.74 .0842 .137 .0577 32.36 .1236 .179 .0752 24.35 .141 .0571 in m length, L, in m	0:	16.96	.0590	.106	.0384	7.1628	26.25	.0381	.118	.0430	8.018
32.36 .1236 .179 .0752 24.35 .141 .0571 L, in m	0.	23.74	.0842	.137	.0577	2.2485	26.25	.0762	.141	.0597	2.327
24.35 .141 .0571 L, in m	0.	32.36	.1236	.179	.0752	1.7069	26.25	.1525	.167	6690	1.587
height, z, in m bObukhov length, L, in m 'u' in m/s d' in cC	verage	24.35		.141	.0571	3.7061	26.25		.142	.0575	3.977
u in m/s de in °C	eight, z, in m Ybukhov leneth.										
چونه °C	i in m/s	] 									
	r in °C										
°q* in (g/g) x 10°	' in (g/g) x 10°				•						

Table 2. Comparison of SuperMariah, Mariah, and O'KEYS schemes using REBAL data for 15 July 1992 2245 CST unstable flow (continued)

		Tel Spar	<u>arameter</u>	ameters from raw data	w data	,	from	smooth	from smoothed data	1
<sup>1</sup> 2	ដ	<b>z/L</b>	ຳລ	P <sub>p</sub>	<b>*</b>	7	z/L	<b>*</b> =	•	* <del>o</del> *
1.0	24.69	.0405	.117	.0424	7.8999	29.72	.0336	.122	0443	8.2491
2.0	25.87	.0773	.141	.0595	2.3167	29.72	.0673	.147	0620	2.4142
4.0	33.98	.1177	.182	.0765	1.7354	29.72	.1346	.174	.0730	1.6576
average	28.18		.147	.0595	3.984	29.72		.148	.0598	4.1070

height, z, in m
bObukhov length, L, in m
'u' in m/s
df' in °C
'q' in (g/g) x 10'

## 6. Conclusions

The methods presented in this report are new, although based on traditional concepts of Dynamic Similarity. We have shown that similar results may be obtained by using the O'KEYPS, Mariah, or SuperMariah approaches. It is clear that the core of the SuperMariah methodology is based upon the computation of similarity scaling constants using the differences in the tower-based measurements of wind speed, temperature, and moisture (i.e., Mariah).

The advantages of employing the SuperMariah model are numerous. Primarily, the model executes quickly. Secondly, one has the capability of using as many or as few levels of tower data as are available. Additionally, SuperMariah outputs averaged values for the similarity scaling constants which represent many subintervals of tower measurements. Finally, the principle similarity premise of stationarity is preserved. This is too often neglected in micrometeorological tower data analyses schemes.

## References

- 1. Obukhov, A. M., Turbulence in an Atmosphere of Non-Homogeneous Temperature. *Trans. Inst. Theor. Geophy.*, USSR, 1:95-115, 1946.
- 2. Monin, A. S., and A. M. Obukhov, Basic Regularity in Turbulent Mixing in the Surface Layer of the Atmosphere. Trans. Geophys. Inst. (Trudy) Acad. Sci., USSR, 24:163-187, 1954.
- 3. Panofsky, H. A., A. K. Blackador and G. E. McVehil, The Diabatic Wind Profile. Quart. J. Roy. Meteorol. Soc., 86:390-398, 1960.
- 4. Panofsky, H. A., Determination of Stress from Wind and Temperature Measurements. Quart. J. Roy. Meteorol. Soc., 89:85, 1963.
- 5. Yaglom, A. M., Comments on Wind and Temperature Flux-Profile Relationships. *Boundary Layer Meteorology*., 11:89-102, 1977.
- 6. Busch, N. E., On the Mechanics of Atmospheric Turbulence. In Workshop on Micrometeorology, D. A. Haugen, ed., American Meteorological Society, Boston, MA, 1973.
- 7. Paulson, C. A., The Mathematical Representation of Wind Speed and Temperature Profiles in the Unstable Atmospheric Surface Layer. J. Appl. Meteorol., 9:57-61, 1970.
- 8. Nickerson, E. C., and V. E. Smiley, Surface Layer and Energy Budget Parameterizations for Mesoscale Models. *J. Appl. Meteorol.*, 14:297-300, 1975.
- 9. Benoit, R., On the Integral of the Surface Layer Profile-Gradient Functions. J. Appl. Meteorol., 16:859-860, 1977.
- 10. Rachele, H., and A. Tunick, The Sensitivity of the Receiver Coherence Diameter and Modulation Transfer Function to Variations of a Damp Unstable Atmosphere. ASL-TR-0314, U.S. Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM 88002, 1992.

- 11. Rachele, H., A. Tunick and F. V. Hansen, A Method for Estimating Similarity Scaling and Obukhov Lengths from Discrete Vertical Profile Data. ASL-TR-0303, U.S. Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM 88002, 1991.
- 12. Rachele, H., A. Tunick and F. V. Hansen, The Zephyrous, Vaporous, Thermotics Connection. *Proc.* 1992 Battlefield Atmospherics Conference. Ft. Bliss, TX, 1-3 December, 1992.
- Tunick, A., H. Rachele, F. V. Hansen, J. A. Howell, J. L. Steiner, A. D. Schneider and S. R. Evett, 1993a: REBAL '92 A Cooperative Radiation and Energy Balance Field Study for Imagery and E. M. Propogation. (Submitted to Bulletin of the American Meteorological Society., 13 May 1993.)
- 14. Tunick, A., F. V. Hansen, H. Rachele, D. Sheets, L. Manguso, D. A. Dusek, K. S. Copeland, and S. R. Evett, 1993b: REBAL '92 Data Report: A Cooperative Radiation and Energy Balance Field Study. (In preparation) U.S. Army Research Laboratory, Battlefield Environment Directorate, White Sands Missile Range, NM 88002.
- 15. Richardson, L. F., The Supply of Energy from and to Atmospheric Eddies. *Proc. Roy. Soc.* (A):97:354-373, 1920.
- 16. Lettau, H. H., Computation of Richardson Numbers, Classification of Wind Profiles, and Determination of Roughness Parameters. Exploring the Atmosphere's First Mile, Vol 1. H. H. Lettau and B. Davidson, eds, Pergamon Press, New York, 1957.
- 17. Hansen, F. V., *The Critical Richardson Number*. ECOM-5829, U.S. Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM 88002-5501, 1977.

# **Bibliography**

Ellison, T. H., Turbulent Transport of Heat and Momentum from an Infinite Rough Plane. J. Fluid Mech., 2:456, 1957.

Kazanski, A. B., and A. S. Monin, Izv. Akad. Nauk., S.S.S.R. Ser. Geofiz., Ser. 1, 79, 1956.

Sellers, W. D., A Simplified Derivation of the Diabatic Wind Profile. J. Atmos. Sci., 19:180-181, 1962.

Yamamoto, G., Theory of Turbulent Transfer Transfer in Non-Neutral Conditions. J. Meteorol. Soc. Japan., 37:60-70, 1959.

# Appendix A Obukhov Length for Stable Conditions

The Obukhov length for stable conditions can be written as

$$L = \frac{\theta_{vl} (\Delta v)^2}{g \phi_{m} (\Delta \theta + 0.61 \theta_{l} \Delta q) \Delta \ln z}$$
 (A-1)

or

$$L\phi_{m} = \frac{\theta_{vl} (\Delta v)^{2}}{g (\Delta \theta + 0.61 \theta_{1} \Delta q) \Delta \ln z}.$$
 (A-2)

From Hansen

$$\Phi_{\rm m} = 1 + \beta \, \frac{z^*}{L} \tag{A-3}$$

where

$$\beta = \frac{15}{\phi_n} \quad . \tag{A-4}$$

Substituting equation (A-4) into (A-3) and solving for  $\phi_m$  gives

$$\phi_{m} = \frac{1 \pm \left[1 + 60 \frac{z^{*}}{L}\right]^{1/2}}{2} . \tag{A-5}$$

<sup>\*</sup>Hansen, F. V., 1977: The Critical Richardson Number. ECOM-5829, U.S. Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM 88002-5501.

Substituting equation (A-5) into (A-2) results in

$$L \pm L(1 + 60\frac{z^*}{L})^{1/2} = \frac{2 \theta_{vi} (\Delta v)^2}{g (\Delta \theta + 0.61 \theta_1 \Delta q) \Delta \ln z} = B$$
 (A-6)

or

$$\pm L(1 + 60\frac{z^*}{L})^{1/2} = B - L . \qquad (A-7)$$

Squaring equation (A-7) and solving for L gives

$$L = \frac{B^2}{60z^* + 2B}$$
 (A-8)

$$z^* = \frac{\Delta z}{\Delta \ln z} . \tag{A-9}$$

#### DISTRIBUTION

	Copies
Commandant	
U.S. Army Chemical School	
ATTM: ATEN-CM-CC (Mr. Barnes)	1
Fort McClellan, AL 36205-5020	
MASA Marshal Space Flight Center	
Deputy Director	
Space Science Laboratory	
Atmospheric Sciences Division	
ATTN: E501 (Dr. Fichtl)	1
Huntsville, AL 35802	
MASA/Marshall Space Flight Center	
Atmospheric Sciences Division	
ATTN: Code ED-41	1
Huntsville, AL 35812	_
Deputy Commander	
U.S. Army Strategic Defense Command	
ATTN: CSSD-SL-L (Dr. Lilly)	1
P.O. Box 1500	_
Huntsville, AL 35807-3801	
Denuty Compander	
Deputy Commander	
U.S. Army Missile Command	•
ATTN: AMSMI-RD-AC-AD (Dr. Peterson)	1
Redstone Arsenal, AL 35898-5242	
Commander	
U.S. Army Missile Command	
ATTN: AMSMI-RD-DE-SE (Mr. Lill, Jr.)	1
Redstone Arsenal, AL 35898-5245	
Commander	
U.S. Army Missile Command	
ATTN: AMSMI-RD-AS-SS (Mr. Anderson)	1
Redstone Arsenal, AL 35898-5253	
Commander	
U.S. Army Missile Command	
ATTN: AMSMI-RD-AS-SS (Mr. B. Williams)	1
Redstone Arsenal, AL 35898-5253	
Commander	
U.S. Army Missile Command	
Redstone Scientific Information Center	
ATTM: AMSMI-RD-CS-R/Documents	1
Dedetone Avenuel Nr. 25000-5241	_

Commander U.S. Army Aviation Center ATTN: ATEQ-D-MA (Mr. Heath) Fort Rucker, AL 36362	
Commander U.S. Army Intelligence Center and Fort Huachuca ATTN: ATSI-CDC-C (Mr. Colanto) Fort Huachuca, AZ 85613-7000	1
Northrup Corporation Electronics Systems Division ATTN: Dr. Tooley 2301 West 120th Street, Box 5032 Hawthorne, CA 90251-5032	1
Commander Pacific Missile Test Center Geophysics Division ATTN: Code 3250 (Mr. Battalino) Point Mugu, CA 93042-5000	1
Commander Code 3331 Naval Weapons Center ATTN: Dr. Shlanta China Lake, CA 93555	1
Lockheed Missiles & Space Co., Inc. Kenneth R. Hardy ORG/91-01 B/255 3251 Hanover Street Palo Alto, CA 94304-1191	1
Commander Naval Ocean Systems Center ATTN: Code 54 (Dr. Richter) San Diego, CA 92152-5000	1
Meteorologist in Charge Kwajalein Missile Range P.O. Box 67 APO San Francisco, CA 96555	1
U.S. Department of Commerce Center Mountain Administration Support Center, Library, R-51 Technical Reports 325 S. Broadway	1

Dr. Hans J. Liebe MTIA/ITS S 3 325 S. Broadway	
Boulder, CO 80303	
MCAR Library Serials National Center for Atmos Research	
P.O. Box 3000 Boulder, CO 80307-3000	
Headquarters Department of the Army	
ATTN: DANI-POI	:
Washington, DC 20310-1067	
Mil Asst for Env Sci Ofc of the Undersecretary of Defense	
for Rsch & Engr/R&AT/B&LS	
Pentagon - Room 3D129	;
Washington, DC 20301-3080	
Headquarters Department of the Army	
DEAN-RMD/Dr. Gomes	
Washington, DC 20314	·
Director Division of Atmospheric Science	
National Science Foundation	
ATTN: Dr. Bierly	
1800 G. Street, N.W.	
Washington, DC 20550	
Commander Space & Naval Warfare System Command	
ATTN: PMW-145-1G	9
Washington, DC 20362-5100	·
Director	
Naval Research Laboratory ATTN: Code 4110	
(Mr. Ruhnke)	9
Washington, DC 20375-5000	·
Commandant	
U.S. Army Infantry ATTN: ATSH-CD-CS-OR (Dr. E. Dutoit)	
Fort Benning, GA 30905-5090	•
USAFETAC/DHE	;
BOOH APP II. 62225	

Air Weather Service Technical Library - FL4414 Scott AFB, IL 62225-5458	1
USAFETAC/DNE ATTM: Mr. Glauber Scott AFB, IL 62225-5008	1
Headquarters AWS/DOO Scott AFB, IL 62225-5008	1
Commander U.S. Army Combined Arms Combat ATTN: ATZL-CAW Fort Leavenworth, KS 66027-5300	1
Commander U.S. Army Space Institute ATTN: ATZI-SI Fort Leavenworth, KS 66027-5300	1
Commander U.S. Army Space Institute ATTN: ATZL-SI-D Fort Leavenworth, KS 66027-7300	1
Commander Phillips Lab ATTN: PL/LYP (Mr. Chisholm) Hanscom AFB, MA 01731-5000	1
Director Atmospheric Sciences Division Geophysics Directorate	
Phillips Lab ATTN: Dr. McClatchey Hanscom AFB, MA 01731-5000	1
Raytheon Company Dr. Sonnenschein Equipment Division 528 Boston Post Road Sudbury, MA 01776 Mail Stop 1K9	1
Director U.S. Army Materiel Systems Analysis Activity ATTN: AMXSY-CR (Mr. Marchetti)	1

Director	
U.S. Army Materiel Systems Analysis Activity	
ATTM: AMXSY-MP (Mr. Cohen)	1
Aberdeen Proving Ground, MD 21005-5071	_
income and the contract of the	
Director	
U.S. Army Materiel Systems Analysis Activity	
ATTM: AMXSY-AT (Mr. Campbell)	1
Aberdeen Proving Ground, MD 21005-5071	
Director	
U.S. Army Nateriel Systems	
Analysis Activity	
ATTN: AMXSY-CS (Mr. Bradley)	_
	1
Aberdeen Proving Ground, MD 21005-5071	
Director	
ARL Chemical Biology	
Nuclear Effects Division	
ATTN: AMBRL-SL-CO	1
Aberdeen Proving Ground, ND 21010-5423	•
Abeldess Floving Glound, ab 21010-3423	
Same Bassanah Sahamahama	
Army Research Laboratory	_
ATTN: AMBRL-D	1
2800 Powder Mill Road	
Adelphi, MD 20783-1145	
•	
National Security Agency	
ATTN: W21 (Dr. Longbothum)	1
	-
9800 Savage Road	
Fort George G. Meade, MD 20755-6000	
Army Research Laboratory	
ATTN: AMBRL-OP-SD-TP	1
Technical Publishing	
2800 Powder Mill Road	
Adelphi, MD 20783-1145	
managan, am arian asia	
Army Research Laboratory	
ATTN: AMBRL-OP-CI-SD-TL	1
2800 Powder Hill Road	
Adelphi, MD 20783-1145	
Army Research laboratory	
ATTN: AMBRL-88-8H	1
(Dr. Sstankay)	•
2800 Powder Mill Road	
Adelphi, MD 20783-1145	
M. G. Dames described the state of the state	
U.S. Army Space Technology	
and Research Office	
ATTN: Ms. Brathwaite	1
5321 Riggs Road	_
Saithanhung MD 2000	

OIC-MAVSWC Technical Library (Code E-232) Silver Springs, MD 20903-5000	1
Commander U.S. Army Research office ATTN: DRXRO-GS (Dr. Flood) P.O. Box 12211	1
Research Triangle Park, NC 27009	
Dr. Jerry Davis North Carolina State University Department of Marine, Earth, and Atmospheric Sciences P.O. Box 8208 Raleigh, NC 27650-8208	1
Commander U.S. Army CECRL ATTN: CECRL-RG (Dr. Boyne) Hanover, NH 03755-1290	1
Commanding Officer U.S. Army ARDEC ATTN: SMCAR-IMI-I, Bldg 59 Dover, NJ 07806-5000	1
Commander U.S. Army Satellite Comm Agency ATTN: DRCPM-SC-3 Fort Monmouth, NJ 07703-5303	1
Commander U.S. Army Communications-Electronics Center for EW/RSTA ATTN: AMSEL-EW-MD Fort Monmouth, NJ 07703-5303	1
Commander U.S. Army Communications-Electronics Center for EW/RSTA ATTN: AMSEL-EW-D Fort Monmouth, NJ 07703-5303	1
Commander U.S. Army Communications-Electronics Center for EW/RSTA ATTN: AMSEL-RD-EW-SP Fort Monmouth, NI 07703-5206	1

Director U.S. Army TRADOC Analysis Center	
ATTN: ATRC-WSS-R	1
White Sands Missile Range, MM 88002-5502	
Director	
U.S. Army White Sands Missile Range	
Technical Library Branch	
ATTN: STEWS-IN-IT	3
	3
White Sands Missile Range, NM 88002	
Army Research Laboratory	_
ATTN: AMBRL-BE (Mr. Veazy)	1
Battlefield Environment Directorate	
White Sands Missile Range, NM 88002-5501	
Army Research Laboratory	
ATTN: AMERL-BE-A (Mr. Rubio)	1
Battlefield Environment Directorate	
White Sands Missile Range, NM 88002-5501	
Army Research Laboratory	
ATTN: AMSRL-BE-M (Dr. Niles)	1
Battlefield Environment Directorate	-
White Sands Missile Range, NM 88002-5501	
white punds wissits woulds, we constant	
Army Bacanah Tahamaham	
Army Research Laboratory	•
ATTN: AMBRL-BE-W (Dr. Seagraves)	1
Battlefield Environment Directorate	
White Sands Missile Range, NM 88002-5501	
Commander	
Department of the Air Force	
OL/A 2d Weather Squadron (MAC)	1
Holloman AFB, NM 88330-5000	
•	
PL/WE	1
Kirtland AFB, NM 87118-6008	_
USAF Rome Laboratory Technical	
Library, FL2810	1
	•
Corridor W, STE 262, RL/SUL	
26 Electronics Parkway, Bldg 106	
Griffiss AFB, NY 13441-4514	
	_
AFMC/DOW	1
Wright-Patterson AFB, OH 03340-5000	
Commandant	
U.S. Army Field Artillery School	
ATTN: ATSF-TSM-TA (Mr. Taylor)	1
Port Gill OF 72E02-E600	

Commander U.S. Army Field Artillery School ATTN: ATSF-F-FD (Mr. Gullion) Fort Sill, OK 73503-5600	1
Commander Naval Air Development Center ATTN: Al Salik (Code 5012) Warminister, PA 18974	1
Commander U.S. Army Dugway Proving Ground ATTN: STEDP-MT-M (Mr. Bowers) Dugway, UT 84022-5000	1
Commander U.S. Army Dugway Proving Ground ATTN: STEDP-MT-DA-L Dugway, UT 84022-5000	1
Commanding Officer U.S. Army Foreign Science & Technology Center ATTN: CM 220 7th Street, NE Charlottesville, VA 22901-5396	1
Naval Surface Weapons Center Code G63 Dahlgren, VA 22448-5000	1
Commander U.S. Army OEC ATTN: CSTE-EFS Park Center IV 4501 Ford Ave	1
Alexandria, VA 22302-1458  Commander and Director	
U.S. Army Corps of Engineers Engineer Topographics Laboratory ATTN: ETL-GS-LB Fort Belvoir, VA 22060	1
U.S. Army Topo Engineering Center ATTN: CETEC-ZC Fort Belvoir, VA 22060-5546	1
Commander USATRADOC ATTN: ATCD-FA	1

Defense Technical Information Center ATTN: DTIC-OCP	2
Cameron Station	_
Alexandria, VA 22314-6145	
TAC/DOWP	1
Langley AFB, VA 23665-5524	
Commander	
Logistics Center	
ATTN: ATCL-CE	1
Fort Lee, VA 23801-6000	
Science and Technology	
101 Research Drive	1
Hampton, VA 23666-1340	
Commander	·
U.S. Army Nuclear and Chemical Agency	
ATTN: MONA-ZB, Bldg 2073	. 1
Springfield, VA 22150-3198	_
Record Copy	3
Total	100